



**Customer:** Royal Element  
Rob Porcella

**Product identity:** 2,500mg CBD spray

**Material:** Cannabinoid Tincture

**Laboratory ID:** 26-005787-0007

**Evidence of Cooling:** No

**Temp:** 20.8 °C

**Serving Size #1:** 30 ml

**Density:** 0.9528 g/ml

### Sample Results

Potency		Method: J AOAC 2015 V98-6 (mod) <sup>b</sup>			Batch: 2603847		Analyzed: 05/15/26	
Analyte	Result	Units	LOQ	Notes	Serving Size #1			
					Result	Units	LOQ	
CBD <sup>±</sup>	7.76	%	0.0323		2,219	mg/30ml	9.24	
CBD-A <sup>±</sup>	0.0253	%	0.0032		7.23	mg/30ml	0.924	
CBD-Total <sup>±</sup>	7.78	%	0.0352		2,224	mg/30ml	10.1	
CBG	0.0213	%	0.0032		6.09	mg/30ml	0.924	
CBG-A	< LOQ	%	0.0032		< LOQ	mg/30ml	0.924	
CBG-Total	0.0213	%	0.0060		6.09	mg/30ml	1.73	
CBN	< LOQ	%	0.0032		< LOQ	mg/30ml	0.924	
Δ10-THC-9R	< LOQ	%	0.0032		< LOQ	mg/30ml	0.924	
Δ10-THC-9S	< LOQ	%	0.0032		< LOQ	mg/30ml	0.924	
Δ10-THC-Total	< LOQ	%	0.0065		< LOQ	mg/30ml	1.85	
Δ8-THC <sup>±</sup>	< LOQ	%	0.0032		< LOQ	mg/30ml	0.924	
Δ9-THC <sup>±</sup>	< LOQ	%	0.0032		< LOQ	mg/30ml	0.924	
Δ9-THC-A <sup>±</sup>	< LOQ	%	0.0032		< LOQ	mg/30ml	0.924	
Δ9-THC-Total <sup>±</sup>	< LOQ	%	0.0061		< LOQ	mg/30ml	1.74	
<b>Total Cannabinoids</b>	<b>7.81</b>	<b>%</b>			<b>2,232</b>	<b>mg/30ml</b>		
Nutrition								
Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Density	0.9528		g/ml	0.1000	2603930	05/18/26 DMA 35™		



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794

**Report Number:** 26-005787/D012.R000  
**Report Date:** 05/19/2026  
**ORELAP#:** OR100028  
**Received:** 05/12/26 08:39



**Abbreviations**

**Limits:** Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

**Limit(s) of Quantitation (LOQ):** The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

Ⓟ = ISO/IEC 17025:2017 accredited method.

⊥ = TNI accredited analyte.

**Units of Measure**

% wt =  $\mu\text{g/g}$  divided by 10,000

g/ml = Gram per milliliter

% = Percentage of sample

mg/30ml = Milligram per 30ml

Approved Signatory

Derrick Tanner  
General Manager





12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794

**Report Number:** 26-005787/D012.R000  
**Report Date:** 05/19/2026  
**ORELAP#:** OR100028  
**Received:** 05/12/26 08:39



Hemp & Cannabis  
Chain of Custody

Royal-Element-  
LLC-1778183474

<b>Company Details</b> Company: <u>Royal Element LLC</u> Contact: <u>Robert Porcella</u> Street Address: <u>202 Clovis Ave</u> City, State, Zip: <u>Clovis, CA 93612</u> Email: <u>robporcella210@gmail.com</u> Email, CC: <u>jporcella22@gmail.com</u> Contact Phone: <u>5592704549</u> Company Phone: <u>5592704549</u> <b>Billing Information</b> Billing Phone: <u>5592704549</u> Billing Email: <u>robporcella210@gmail.com</u>		<b>Project Details</b> Turnaround Time: <u>5 Business Days   Req. For Micro Testing   Standard</u> Compliance: <u>OLCC Compliance - Hemp</u> Relinquishment   Sampling, Courier & Shipping Options: <u>By Shipping Service (USPS, UPS, Fedex)</u> License Type: <u>OLCC</u> Additional Comments for Project: <u>My credit card processor (Square) is requiring that we show are products are less than the .3% THC to release our funds to us.</u> <b>Receipt Information</b> Evidence of Cooling?: <u>No</u> Sample Condition: <u>Satisfactory</u> Prelog Storage: <u>Canna Shelves</u>						Testing H0014 - Potency Cannabis (Basic)
#	Sample Name	Reporting Unit	Material	Serving Size	Specifications	Amount Provided	For potency accuracy, can the density value be provided?	
1	100mg CBD dropper	% & mg/serving	Cannabinoid Tincture	30 ml	CBD dropper bottle	30 ml	No, I agree to the laboratory performing density analysis.	✓
2	400mg CBD dropper	% & mg/serving	Cannabinoid Tincture	30 ml	CBD dropper bottle	30 ml	No, I agree to the laboratory performing density analysis.	✓
3	1,000 mg CBD dropper	% & mg/serving	Cannabinoid Tincture	30 ml	CBD dropper bottle	30 ml	No, I agree to the laboratory performing density analysis.	✓
4	2,500mg CBD dropper	% & mg/serving	Cannabinoid Tincture	30 ml	CBD dropper bottle	30 ml	No, I agree to the laboratory performing density analysis.	✓
5	400mg CBD spray	% & mg/serving	Cannabinoid Tincture	30 ml	CBD spray bottle	30 ml	No, I agree to the laboratory performing density analysis.	✓
6	1,000mg CBD spray	% & mg/serving	Cannabinoid Tincture	30 ml	CBD spray bottle	30 ml	No, I agree to the laboratory performing density analysis.	✓
7	2,500mg CBD spray	% & mg/serving	Cannabinoid Tincture	30 ml	CBD spray and dropper bottles	30 ml	No, I agree to the laboratory performing density analysis.	✓
8	300mg Pet CBD dropper	% & mg/serving	Cannabinoid Tincture	30 ml	CBD dropper bottle	30 ml	No, I agree to the laboratory performing density analysis.	✓

Relinquished By	Date	Time	Received By	Date	Time	Received Temp., °C	IR Therm. CL#
<i>Rob Porcella</i>	<i>05/07/2026</i>	<i>12:51</i>	<i>em</i>	<i>05/12/2026</i>	<i>08:39</i>	<i>20.80</i>	<i>CL-0843</i>

Samples submitted to Columbia Laboratories with testing requirements constitute an agreement for services in accordance with the [current terms of services](#) associated with this COC. By signing "Relinquished by" you are agreeing to these terms.

Columbia Laboratories  
12423 NE Whitaker Way  
Portland, OR 97230

P: (503) 254-1794  
[info.ctj@tentamus.com](mailto:info.ctj@tentamus.com)

Page 1 of 1  
[www.columbialaboratories.com](http://www.columbialaboratories.com)



12423 NE Whitaker Way  
Portland, OR 97230  
503-254-1794

**Report Number:** 26-005787/D012.R000  
**Report Date:** 05/19/2026  
**ORELAP#:** OR100028  
**Received:** 05/12/26 08:39



Revision: 4 Document ID: 7148  
Legacy ID: Worksheet Validated 04/20/2021

**Laboratory Quality Control Results**

**J AOAC 2015 V98-6** **Batch ID: 2603847**

Laboratory Control Sample										
Analyte	LCS	Result	Spike	Units	% Rec	Limits		Evaluation	Notes	
CBDVA	2	0.0282	0.0296	%	95.1	80.0	- 120	Acceptable		
CBDV	2	0.0288	0.0295	%	97.7	80.0	- 120	Acceptable		
CBE	2	0.0304	0.0314	%	96.8	80.0	- 120	Acceptable		
CBDA	1	0.0291	0.0307	%	94.7	90.0	- 110	Acceptable		
CBGA	1	0.0304	0.0318	%	95.5	80.0	- 120	Acceptable		
CBG	1	0.0301	0.0319	%	94.4	80.0	- 120	Acceptable		
CBD	1	0.0277	0.0282	%	97.9	90.0	- 110	Acceptable		
THCV	2	0.0285	0.0295	%	96.5	80.0	- 120	Acceptable		
d8THCV	2	0.0311	0.0331	%	94.2	80.0	- 120	Acceptable		
THCVA	2	0.0271	0.0279	%	97.0	80.0	- 120	Acceptable		
CBN	1	0.0290	0.0298	%	97.4	80.0	- 120	Acceptable		
exo-THC	2	0.0276	0.0285	%	96.7	80.0	- 120	Acceptable		
d9THC	1	0.0281	0.0294	%	95.7	90.0	- 110	Acceptable		
d8THC	1	0.0294	0.0309	%	95.3	90.0	- 110	Acceptable		
9S-d10THC	1	0.0316	0.0330	%	95.7	80.0	- 120	Acceptable		
CBL	2	0.0281	0.0294	%	95.7	80.0	- 120	Acceptable		
9R-d10THC	1	0.0331	0.0350	%	94.7	80.0	- 120	Acceptable		
CBC	2	0.0288	0.0305	%	94.3	80.0	- 120	Acceptable		
THCA	1	0.0303	0.0322	%	94.0	90.0	- 110	Acceptable		
CBCA	2	0.0290	0.0305	%	95.2	80.0	- 120	Acceptable		
CBLA	2	0.0288	0.0305	%	94.5	80.0	- 120	Acceptable		
d9THCP	2	0.0283	0.0294	%	96.2	80.0	- 120	Acceptable		
CBT	2	0.0292	0.0302	%	96.7	80.0	- 120	Acceptable		

Method Blank							
Analyte	Result	LOQ	Units	Limits	Evaluation	Notes	
CBDVA	<LOQ	0.00313	%	< 0.00313	Acceptable		
CBDV	<LOQ	0.00313	%	< 0.00313	Acceptable		
CBE	<LOQ	0.00313	%	< 0.00313	Acceptable		
CBDA	<LOQ	0.00313	%	< 0.00313	Acceptable		
CBGA	<LOQ	0.00313	%	< 0.00313	Acceptable		
CBG	<LOQ	0.00313	%	< 0.00313	Acceptable		
CBD	<LOQ	0.00313	%	< 0.00313	Acceptable		
THCV	<LOQ	0.00313	%	< 0.00313	Acceptable		
d8THCV	<LOQ	0.00313	%	< 0.00313	Acceptable		
THCVA	<LOQ	0.00313	%	< 0.00313	Acceptable		
CBN	<LOQ	0.00313	%	< 0.00313	Acceptable		
exo-THC	<LOQ	0.00313	%	< 0.00313	Acceptable		
d9THC	<LOQ	0.00313	%	< 0.00313	Acceptable		
d8THC	<LOQ	0.00313	%	< 0.00313	Acceptable		
9S-d10THC	<LOQ	0.00313	%	< 0.00313	Acceptable		
CBL	<LOQ	0.00313	%	< 0.00313	Acceptable		
9R-d10THC	<LOQ	0.00313	%	< 0.00313	Acceptable		
CBC	<LOQ	0.00313	%	< 0.00313	Acceptable		
THCA	<LOQ	0.00313	%	< 0.00313	Acceptable		
CBCA	<LOQ	0.00313	%	< 0.00313	Acceptable		
CBLA	<LOQ	0.00313	%	< 0.00313	Acceptable		
d9THCP	<LOQ	0.00313	%	< 0.00313	Acceptable		
CBT	<LOQ	0.00313	%	< 0.00313	Acceptable		

**Abbreviations**

ND - None Detected at or above MRL  
RPD - Relative Percent Difference  
LOQ - Limit of Quantitation

**Units of Measure:**

% - Percent



Revision: 4 Document ID: 7148  
Legacy ID: Worksheet Validated 04/20/2021

**Laboratory Quality Control Results**

AOAC 2015 V98-6		Batch ID: 2603847						
Sample Duplicate		Sample ID: 26-005661-0001						
Analyte	Result	Org. Result	LOQ	Units	RPD	Limits	Evaluation	Notes
CBDVA	<LOQ	<LOQ	0.00312	%	NA	< 20	Acceptable	
CBDV	0.234	0.234	0.00312	%	0.364	< 20	Acceptable	
CBE	0.348	0.346	0.00312	%	0.694	< 20	Acceptable	
CBDA	<LOQ	<LOQ	0.00312	%	NA	< 10	Acceptable	
CBGA	<LOQ	<LOQ	0.00312	%	NA	< 20	Acceptable	
CBG	0.104	0.0949	0.00312	%	8.85	< 20	Acceptable	
CBD	28.5	29.0	0.00312	%	1.90	< 10	Acceptable	
THCV	<LOQ	<LOQ	0.00312	%	NA	< 20	Acceptable	
d8THCV	<LOQ	<LOQ	0.00312	%	NA	< 20	Acceptable	
THCVA	<LOQ	<LOQ	0.00312	%	NA	< 20	Acceptable	
CBN	0.0704	0.0700	0.00312	%	0.524	< 20	Acceptable	
exo-THC	<LOQ	<LOQ	0.00312	%	NA	< 20	Acceptable	
d9THC	0.543	0.543	0.00312	%	0.0909	< 10	Acceptable	
d8THC	0.0222	0.0240	0.00312	%	7.92	< 10	Acceptable	
9S-d10THC	<LOQ	<LOQ	0.00312	%	NA	< 20	Acceptable	
CBL	<LOQ	<LOQ	0.00312	%	NA	< 20	Acceptable	
9R-d10THC	<LOQ	<LOQ	0.00312	%	NA	< 20	Acceptable	
CBC	0.699	0.701	0.00312	%	0.367	< 20	Acceptable	
THCA	<LOQ	<LOQ	0.00312	%	NA	< 10	Acceptable	
CBCA	<LOQ	<LOQ	0.00312	%	NA	< 20	Acceptable	
CBLA	<LOQ	<LOQ	0.00312	%	NA	< 20	Acceptable	
d9THCP	<LOQ	<LOQ	0.00312	%	NA	< 20	Acceptable	
CBT	0.423	0.424	0.00312	%	0.258	< 20	Acceptable	

**Abbreviations**

ND - None Detected at or above MRL  
RPD - Relative Percent Difference  
LOQ - Limit of Quantitation

**Units of Measure:**

% - Percent